

AXOR Starck Organic Thermostatic Freestanding Tub Filler Trim with 1.75 GPM Handshower

Finish: **chrome** Part no. : **12018001**



Description

Features

- Shut-off/ diverter valve, Thermostat cartridge
- Spray type mixer: aerated spray
- Max. flow: 5.0 GPM (19 L/Min)
- Flow rate of hand shower at 3 bar: 1.75 GPM (6.6 L/Min)
- Anti-scald 100° safety stop
- Integrated double backflow prevention
- Not suitable for continuous flow water heaters


Item details

List Price \$ 3,718.00

Technology




Compliance / Sustainability



Product image



Scale drawing



AXOR Starck Organic
Thermostatic Freestanding Tub Filler Trim with 1.75 GPM Handshower
 Finish: **chrome** Part no. : **12018001**



Spare parts list

Year of production: >07/18

Pos.	Description	Part no.	Price	PU
1	handle for thermostat	98334000	-	1
2	handle fixing set	95843000	-	1
3	safety set	95839000	-	1
4	O-ring 26x1,5	98390000	-	1
5	nut	98913000	-	1
6	thermostat cartridge	98282000	-	1
7	shut off unit with selector	92220000	-	1
8	O-ring 28x2,5	98209000	-	1
9	spout cpl.	92133000	-	1
10	aerator M24x1 (30 l/min)	92132000	-	1
11	special tool	95290000	-	1
12	escutcheon	92134000	-	1
13	hexagon socket screw M10x35	97670000	-	1
14	O-ring 41x2	98212000	-	1
15	set of non return valves DW 15	94074000	-	1
16	O-ring 11x2	98127000	-	1
17	O-Ring 36x2,5	98190000	-	1
18	O-ring 44x2,5	98162000	-	1
19	O-ring 29x3	98371000	-	1
20	handshower	93397001	-	1
21	hexagon socket screw M5x30	97659000	-	1
22	O-ring 14x2	98129000	-	1
23	connecting thread	95392000	-	1
24	filter packing	94246000	-	1
25	seal	98058000	-	1
26	shower hose 1,25 m	28282000	-	1