

AXOR Starck Organic Electronic Faucet with Temperature Control, 0.5 GPM, without Pop-up Drain

Finish: **chrome** Part no. : **12171001**



Description

Features

- Spray modes: Shower spray pattern
- Max. flow: 0.5 GPM (1.9 L/Min)
- Temperature control
- Infrared sensor
- Battery operated (battery type 6V CR-P2, included) with low battery indicator
- Flushing time: 10 seconds
- Frequency of hygiene rinse: 24 hours
- Flushing time hygiene rinse: 10 seconds
- Cleaning mode: manual water stop for sink cleaning
- 3/8" connections


Item details

List Price \$ 1,379.00

Technology




Compliance / Sustainability



Product image



Scale drawing




AXOR Starck Organic
Electronic Faucet with Temperature Control, 0.5 GPM, without Pop-up Drain
 Finish: **chrome** Part no. : **12171001**



Exploded drawing

Year of production: >06/15



AXOR Starck Organic
Electronic Faucet with Temperature Control, 0.5 GPM, without Pop-up Drain
Finish: **chrome** Part no. : **12171001**



Spare parts list

Year of production: >06/15

Pos.	Description	Part no.	Price	PU
1	spray former	92408001	-	1
2	special tool	95158000	-	1
3	non return valve DW 10	96456000	-	1
4	O-ring 18x1,5	98231000	-	1
5	O-ring 7x1,5	98422000	-	1
6	O-ring 17x2	98199000	-	1
7	solenoid valve	95654000	-	1
8	O-ring 41x2	98212000	-	1
9	O-ring 5x2	98215000	-	1
10	mixing shaft	92377000	-	1
11	O-ring 6x2	98458000	-	1
12	sliding gear lever	92409000	-	1
13	electronics	92346000	-	1
14	fixing set (Ø 32)	13961000	-	1
15	lever collar	97548000	-	1
16	back flow preventor cartridge with microfilter	92297000	-	1
17	connection hose 450 mm	92345000	-	1
18	battery box	98801000	-	1
19	battery CR-P2 / 6V lithium	97399000	-	1
20	mixer-hood	92808000	-	1
21	screw	93272000	-	1